

| Room | Room Description | Setup Type | Min Capacity | Max Capacity |
|----------------------------|---------------------------|-------------------------|--------------|--------------|
| 575 Building | | | | |
| Ste 100 Rm 260 | Suite 100, Room 260 | Conference Style | 0 | 10 |
| Ste 100 Rm 285 | Suite 100, Room 285 | Conference Style | 0 | 10 |
| Ste 110 Rm 110D | Suite 110, Room 110D | Conference Style | 0 | 4 |
| Ste 110 Rm 110E | Suite 110, Room 110E | Conference Style | 0 | 8 |
| Ste 110 Rm 110F | Suite 110, Room 110F | U-Shape | 0 | 18 |
| | | Hollow Square | 0 | 20 |
| | | See Comments | 0 | 20 |
| | | See Diagram | 0 | 20 |
| | | Classroom Style | 0 | 20 |
| | | Pods | 0 | 20 |
| | | Conference Style | 0 | 16 |
| Anex | | | | |
| LL | Lower Level | Academic | 0 | 18 |
| UL | Upper Level | Academic | 0 | 18 |
| Anheuser-Busch Hall | | | | |
| 2245 | Anheuser-Busch Hall 2245 | Academic | 0 | 50 |
| | | U-Shape | 0 | 28 |
| | | Hollow Square | 0 | 36 |
| | | Classroom Style | 0 | 50 |
| 3245 | Anheuser-Busch Hall 3245 | Academic | 0 | 50 |
| | | See Comments | 0 | 0 |
| | | See Diagram | 0 | 0 |
| | | Pods | 0 | 0 |
| 3245A | Anheuser-Busch Hall 3245A | Academic | 0 | 36 |
| | | Classroom Style | 0 | 36 |
| 3245B | Anheuser-Busch Hall 3245B | Academic | 0 | 16 |
| CFC | Cyber Fusion Center | Academic | 0 | 30 |
| Art and Design 3D | | | | |
| CR | AD3D*CR | Academic | 0 | 20 |

| Room | Room Description | Setup Type | Min Capacity | Max Capacity |
|------------------------|----------------------------|------------------------|--------------|--------------|
| JM | AD3D*JM | Academic | 0 | 20 |
| NS | Ad3d*ns | Academic | 0 | 20 |
| SC | AD3D*SC | Academic | 0 | 20 |
| Athletic Fields | | | | |
| Baseball Fields | Baseball Fields | Outdoor | 0 | 0 |
| Practice Fields | Practice Fields | Outdoor | 0 | 0 |
| Soccer Field | Soccer Field | Outdoor | 0 | 0 |
| Track & Field | Track & Field | Outdoor | 0 | 0 |
| Auditorium | | | | |
| 1402 | Auditorium 1402- Music Lab | Academic | 0 | 11 |
| 1411 | Auditorium 1411 | Academic | 0 | 15 |
| | | Standard Set-up | 0 | 15 |
| 1420 | Auditorium 1420 | Academic | 0 | 22 |
| 1423 | Auditorium 1423 | Academic | 0 | 36 |
| Auditorium | Auditorium Theatre | Academic | 0 | 438 |
| | | Theatre Style | 0 | 438 |
| Auditorium and Lobby | Auditorium | Theatre Style | 0 | 470 |
| Pfaff Lobby | Pfaff Lobby | Standard Set-up | 0 | 500 |
| | | See Comments | 0 | 500 |
| | | See Diagram | 0 | 500 |
| Buder Commons | | | | |
| Buder Commons | Buder Commons | Standard Set-up | 0 | 80 |
| Buder Meeting Room | Buder Commons Meeting Room | Academic | 0 | 0 |
| | | U-Shape | 0 | 60 |
| | | Standard Set-up | 0 | 100 |
| | | Theatre Style | 0 | 100 |
| | | Reception | 0 | 100 |
| | | See Comments | 0 | 100 |
| | | See Diagram | 0 | 100 |
| Buder Patio | Buder Commons Patio | Standard Set-up | 0 | 80 |
| | | See Comments | 0 | 80 |

| Room | Room Description | Setup Type | Min Capacity | Max Capacity |
|--|-------------------------------------|------------------------|--------------|--------------|
| | | See Diagram | 0 | 80 |
| Design and Visual Arts Building | | | | |
| 100 | DVA 100- Print Making/Design Studio | Academic | 0 | 15 |
| 101 | DVA 101- Lighting Room | Academic | 0 | 15 |
| 102 | DVA 102- Drawing Room | Academic | 0 | 30 |
| 103 | DVA 103- Graphic Design Studio | Academic | 0 | 15 |
| 104 | DVA 104- Graphic Design Studio | Academic | 0 | 20 |
| 105 | DVA 105- Interior Design Studio | Academic | 0 | 15 |
| 106 | DVA 106- Interior Design Studio | Academic | 0 | 15 |
| 107 | ADB*107 | Academic | 0 | 0 |
| 108 | DVA 108- Model Shop | Academic | 0 | 5 |
| 109 | DVA 109- Photography Lab | Academic | 0 | 20 |
| 111 | DVA 111- Open Studio | Academic | 0 | 10 |
| 112 | DVA 112- Critique Room | Academic | 0 | 0 |
| 124 | DVA 124- Conference Room | Academic | 0 | 10 |
| | | Conference Style | 0 | 10 |
| Donius University Center | | | | |
| CSE | Center for Student Engagement | Standard Set-up | 0 | 80 |
| | | See Comments | 0 | 80 |
| | | Conference Style | 0 | 12 |
| DUC Atrium | DUC Atrium | U-Shape | 0 | 40 |
| | | Hollow Square | 0 | 50 |
| | | Standard Set-up | 0 | 90 |
| | | Banquet Style | 0 | 200 |
| | | Theatre Style | 0 | 250 |
| | | Reception | 0 | 300 |
| | | See Comments | 0 | 400 |
| | | See Diagram | 0 | 400 |
| | | Empty | 0 | 300 |
| | | Classroom Style | 0 | 100 |
| | | Pods | 0 | 100 |
| LJ's | LJ's | Standard Set-up | 0 | 100 |

| Room | Room Description | Setup Type | Min Capacity | Max Capacity |
|--------------------|------------------------------------|-------------------------|--------------|--------------|
| | | Reception | 0 | 100 |
| | | See Comments | 0 | 100 |
| | | See Diagram | 0 | 100 |
| Gander Hall | | | | |
| Display 1 | Display Table 1 | One 8' Table | 0 | 60 |
| Display 2 | Display Table 2 | One 8' Table | 0 | 60 |
| Display 3 | Display Table 3 | One 8' Table | 0 | 60 |
| Display 4 | Display Table 4 | One 8' Table | 0 | 60 |
| Display 5 | Display Table 5 | One 8' Table | 0 | 60 |
| GAND 101 | Gander 101 | Conference Style | 0 | 8 |
| GAND 262 | Gander 262 | U-Shape | 0 | 16 |
| | | Hollow Square | 0 | 20 |
| | | Standard Set-up | 0 | 24 |
| | | Theatre Style | 0 | 24 |
| | | See Comments | 0 | 24 |
| | | See Diagram | 0 | 24 |
| | | Empty | 0 | 24 |
| | | Classroom Style | 0 | 20 |
| | | Pods | 0 | 16 |
| | | Conference Style | 0 | 16 |
| Gander Dining Hall | Gander Dining Hall | Banquet Style | 0 | 500 |
| | | Reception | 0 | 500 |
| | | See Comments | 0 | 500 |
| | | See Diagram | 0 | 500 |
| Gander Patio | Gander Patio | Standard Set-up | 0 | 0 |
| | | See Comments | 0 | 0 |
| | | See Diagram | 0 | 0 |
| GDH Resv Tbls | Gander Dining Hall Reserved Tables | Banquet Style | 0 | 200 |
| IMC | IMC Collaboration Room | U-Shape | 0 | 10 |
| | | Hollow Square | 0 | 12 |
| | | Standard Set-up | 0 | 40 |
| | | See Comments | 0 | 40 |
| | | See Diagram | 0 | 40 |
| | | Conference Style | 0 | 12 |

| Room | Room Description | Setup Type | Min Capacity | Max Capacity |
|----------------------|-----------------------------------|-------------------------|--------------|---------------|
| PCC | PCC President's Conference Center | U-Shape | 0 | 28 |
| | | Hollow Square | 0 | 32 |
| | | Banquet Style | 0 | 80 |
| | | Theatre Style | 0 | 80 |
| | | Reception | 0 | 100 |
| | | Classroom Style | 0 | 80 |
| | | Pods | 0 | 24 |
| | | PCC Annex | PCC Annex | Banquet Style |
| Reception | 0 | | | 150 |
| See Comments | 0 | | | 150 |
| See Diagram | 0 | | | 150 |
| PCC Board Rm | PCC Board Room | Empty | 0 | 150 |
| | | U-Shape | 0 | 28 |
| | | Hollow Square | 0 | 32 |
| | | Banquet Style | 0 | 72 |
| | | Theatre Style | 0 | 85 |
| | | Reception | 0 | 150 |
| | | See Comments | 0 | 150 |
| | | See Diagram | 0 | 150 |
| | | Empty | 0 | 100 |
| | | Classroom Style | 0 | 30 |
| PCC Heritage | PCC Heritage Room | Pods | 0 | 48 |
| | | Conference Style | 0 | 24 |
| | | Standard Set-up | 0 | 150 |
| | | Banquet Style | 0 | 50 |
| | | Theatre Style | 0 | 50 |
| | | Reception | 0 | 100 |
| | | See Comments | 0 | 150 |
| PCR | PCR President's Conference Room | See Diagram | 0 | 150 |
| | | Conference Style | 0 | 12 |
| | | See Comments | 0 | 18 |
| | | Conference Style | 0 | 18 |
| Huttig Chapel | | | | |
| Huttig Chapel | Huttig Chapel | Academic | 0 | 165 |

| Room | Room Description | Setup Type | Min Capacity | Max Capacity |
|----------------------|---|------------------------|--------------|--------------|
| | | Theatre Style | 0 | 165 |
| Kernigan Hall | | | | |
| 1108 | Kernigan Hall 1108 - Gross Anatomy Lab | Academic | 0 | 24 |
| 1112 | Kernigan Hall 1112 | Academic | 0 | 30 |
| 1113 | Kernigan Hall 1113- Education Classroom | Academic | 0 | 20 |
| | | Classroom Style | 0 | 20 |
| 1117 | Kernigan Hall 1117- School of ED Meeting Room | Academic | 0 | 30 |
| | | Classroom Style | 0 | 30 |
| 2109 | Kern*2109 | Academic | 0 | 24 |
| 2114 | Kern*2114 Biology Lab | Academic | 0 | 16 |
| 2117 | Kern*2117 Chemistry Lab | Academic | 0 | 16 |
| 2118 | Kern*2118 Biology Lab | Academic | 0 | 22 |
| 2121 | Kern*2121 Chemistry Lab | Academic | 0 | 16 |
| 2126 | Kern*2126 Anat & Phys Lab | Academic | 0 | 16 |
| 3117 | KERN*3117 | Academic | 0 | 24 |
| 3121 | KERN*3121 | Academic | 0 | 24 |
| 3125 | Kernigan Hall 3125 | Academic | 0 | 24 |
| | | Classroom Style | 0 | 24 |
| 3128 | KERN*3128 | Academic | 0 | 24 |
| 3129 | Kernigan Hall 3129- Computer Lab/Classroom | Academic | 0 | 35 |
| | | Classroom Style | 0 | 35 |
| 3136 | Kernigan Hall 3136 | Academic | 0 | 24 |
| | | Classroom Style | 0 | 24 |
| Library | | | | |
| Gallery | Morton J. May Gallery | Standard Set-up | 0 | 50 |
| | | Theatre Style | 0 | 30 |
| | | Reception | 0 | 50 |
| | | See Comments | 0 | 50 |
| | | See Diagram | 0 | 50 |

| Room | Room Description | Setup Type | Min Capacity | Max Capacity |
|--------------------------|--------------------------------|------------------------|--------------|--------------|
| Gallery Reception | Library Gallery Reception Area | Classroom Style | 0 | 20 |
| | | Standard Set-up | 0 | 60 |
| | | Theatre Style | 0 | 50 |
| | | Reception | 0 | 60 |
| | | See Comments | 0 | 60 |
| | | See Diagram | 0 | 60 |
| | | Classroom Style | 0 | 30 |
| McNally House | | | | |
| LL1 | Lower Level 1 | Academic | 0 | 15 |
| LL3 | Lower Level 3 | Academic | 0 | 8 |
| McNally Lounge | McNally Lounge | Standard Set-up | 0 | 20 |
| McNally Patio & Yard | McNally Patio & Yard | Standard Set-up | 0 | 20 |
| Off-Site Location | | | | |
| OVD | Override Room | | | |
| Powell Hall | Powell Hall | Standard Set-up | 0 | 400 |
| St. Louis Club | St. Louis Club | Standard Set-up | 0 | 400 |
| Outdoor Quads | | | | |
| DUC | DUC Quad | See Comments | 0 | 800 |
| | | See Diagram | 0 | 800 |
| | | Outdoor | 0 | 800 |
| Gander | Gander Quad | See Comments | 0 | 800 |
| | | See Diagram | 0 | 800 |
| | | Outdoor | 0 | 800 |
| Library | Library Quad | See Comments | 0 | 800 |
| | | See Diagram | 0 | 800 |
| | | Outdoor | 0 | 800 |
| Potter Hall | | | | |
| Potter Hall Mtg Rm | Potter Hall Meeting Room | U-Shape | 0 | 16 |
| | | Hollow Square | 0 | 20 |

| Room | Room Description | Setup Type | Min Capacity | Max Capacity |
|------------------------------|------------------------------|------------------------|--------------|--------------|
| | | Banquet Style | 0 | 24 |
| | | See Comments | 0 | 24 |
| | | See Diagram | 0 | 24 |
| | | Classroom Style | 0 | 20 |
| | | Conference Style | 0 | 12 |
| Potter Lobby | Potter Hall Lobby | Standard Set-up | 0 | 50 |
| | | See Comments | 0 | 50 |
| | | See Diagram | 0 | 50 |
| President's Residence | | | | |
| Pres Res | President's Residence | See Comments | 0 | 200 |
| | | See Diagram | 0 | 200 |
| Reid Hall | | | | |
| 1300 | Reid*1300 Ot Lab | Academic | 0 | 10 |
| 1312 | REID*1312 | Academic | 0 | 30 |
| 1320 | Reid Hall 1320- Computer Lab | Academic | 0 | 24 |
| 1330 | Reid*1330 Computers | Academic | 0 | 18 |
| 1334 | Reid Hall 1334- Computer Lab | Academic | 0 | 30 |
| 2300 | REID*2300 | Academic | 0 | 35 |
| 2308 | Reid Hall 2308 | Academic | 0 | 68 |
| | | Classroom Style | 0 | 68 |
| 2309 | Reid Hall 2309 | Academic | 0 | 32 |
| | | U-Shape | 0 | 24 |
| | | Hollow Square | 0 | 30 |
| | | Classroom Style | 0 | 32 |
| 2313 | Reid Hall 2313 | Academic | 0 | 45 |
| | | Classroom Style | 0 | 45 |
| 2314 | Reid Hall 2314 | Academic | 0 | 40 |
| | | Classroom Style | 0 | 40 |
| 2317 | Reid Hall 2317 | Academic | 0 | 32 |
| | | Classroom Style | 0 | 32 |
| 2318 | Reid Hall 2318 | Academic | 0 | 24 |
| | | U-Shape | 0 | 8 |

| Room | Room Description | Setup Type | Min Capacity | Max Capacity |
|--------------------|------------------|-----------------|--------------|--------------|
| 2321 | Reid Hall 2321 | Hollow Square | 0 | 12 |
| | | Classroom Style | 0 | 24 |
| | | Academic | 0 | 28 |
| | | U-Shape | 0 | 12 |
| | | Hollow Square | 0 | 16 |
| 3315 | Reid Hall 3315 | Banquet Style | 0 | 28 |
| | | Academic | 0 | 19 |
| 3319 | Reid Hall 3319 | Academic | 0 | 36 |
| | | U-Shape | 0 | 13 |
| | | Hollow Square | 0 | 16 |
| | | Classroom Style | 0 | 36 |
| | | Academic | 0 | 36 |
| 3320 | Reid Hall 3320 | U-Shape | 0 | 15 |
| | | Hollow Square | 0 | 20 |
| | | Classroom Style | 0 | 36 |
| | | Academic | 0 | 32 |
| 3323 | Reid Hall 3323 | U-Shape | 0 | 15 |
| | | Hollow Square | 0 | 20 |
| | | Classroom Style | 0 | 32 |
| 3324 | Reid Hall 3324 | Academic | 0 | 20 |
| | | U-Shape | 0 | 12 |
| | | Hollow Square | 0 | 20 |
| | | Classroom Style | 0 | 20 |
| 3327 | Reid Hall 3327 | Academic | 0 | 26 |
| | | U-Shape | 0 | 14 |
| | | Hollow Square | 0 | 20 |
| | | Classroom Style | 0 | 26 |
| | | Classroom Style | 0 | 26 |
| Saints Hall | | | | |
| Saints 225 | Saints Hall 225 | U-Shape | 0 | 20 |
| | | Hollow Square | 0 | 28 |
| | | Banquet Style | 0 | 24 |
| | | Theatre Style | 0 | 38 |
| | | Reception | 0 | 40 |
| | | See Comments | 0 | 40 |

| Room | Room Description | Setup Type | Min Capacity | Max Capacity |
|----------------------|----------------------------------|------------------------|--------------|--------------|
| | | See Diagram | 0 | 40 |
| | | Empty | 0 | 30 |
| | | Classroom Style | 0 | 32 |
| | | Pods | 0 | 20 |
| | | Conference Style | 0 | 16 |
| Saints Lobby | Saints Lobby | See Comments | 0 | 50 |
| | | See Diagram | 0 | 50 |
| Simon Center | | | | |
| Batting Cages | Batting Cages | Standard Set-up | 0 | 0 |
| East Hallway | East Hallway | Standard Set-up | 0 | 0 |
| Functional Exer Room | Functional Exercise Room | Standard Set-up | 0 | 0 |
| Locker/M - General | Locker Room - Men's (General) | See Diagram | 0 | 0 |
| Locker/M Basketball | Locker Room - Men's Basketball | Standard Set-up | 0 | 0 |
| Locker/W Basketball | Locker Room - Women's Basketball | Standard Set-up | 0 | 0 |
| Locker/W VolleyBall | Locker Room - Women's Volleyball | Standard Set-up | 0 | 0 |
| Moloney Arena | Moloney Arena | Standard Set-up | 0 | 3,000 |
| | | Theatre Style | 0 | 3,000 |
| | | See Comments | 0 | 3,000 |
| | | See Diagram | 0 | 3,000 |
| Moloney Lobby | Moloney Lobby/Foyer | Standard Set-up | 0 | 0 |
| Simon Conf Room | Simon Conference Room | Standard Set-up | 0 | 0 |
| Simon Patio | Simon Center Patio | Outdoor | 0 | 0 |
| Weight Room | Weight Room | Standard Set-up | 0 | 0 |
| TBD | | | | |
| TBD | TBD | | | |
| Van Rental | | | | |
| Van 1 | Van 1 | Van Seating | 0 | 15 |
| Van 2 | Van 2 | Van Seating | 0 | 15 |
| Van 3 | Van 3 | Van Seating | 0 | 15 |
| Van 4 | Van 4 | Van Seating | 0 | 15 |
| Van 5 | Van 5 | Van Seating | 0 | 15 |

| Room | Room Description | Setup Type | Min Capacity | Max Capacity |
|--------------------|--------------------------------------|------------------------|--------------|--------------|
| Van 6 | Van 6 | Van Seating | 0 | 15 |
| Van 7 | Van 7 | Van Seating | 0 | 15 |
| Van 8 | Van 8 | Van Seating | 0 | 15 |
| Van 9 | Van 9 | Van Seating | 0 | 15 |
| Walker Hall | | | | |
| 105 | Walker Hall 105 | Academic | 0 | 91 |
| | | Classroom Style | 0 | 91 |
| 117 | Walker Hall 117 | Academic | 0 | 34 |
| | | Standard Set-up | 0 | 34 |
| | | Pods | 0 | 0 |
| 120 | Walker Hall 120 - Gross Anatomy Lab | Academic | 0 | 28 |
| | | Standard Set-up | 0 | 28 |
| | | See Comments | 0 | 28 |
| | | See Diagram | 0 | 28 |
| 131 | Walker Hall 131 | Academic | 0 | 31 |
| | | U-Shape | 0 | 15 |
| | | Hollow Square | 0 | 20 |
| | | Standard Set-up | 0 | 31 |
| | | Classroom Style | 0 | 31 |
| 132 | Walker Hall 132 - Exercise Lab | Academic | 0 | 20 |
| | | Standard Set-up | 0 | 20 |
| 133 | Walker Hall 133 - COMMUNITY OUTREACH | Academic | 0 | 21 |
| | | U-Shape | 0 | 15 |
| | | Hollow Square | 0 | 20 |
| | | Standard Set-up | 0 | 21 |
| | | Classroom Style | 0 | 21 |
| 146 | Walker Hall 146 - Conference Room | Conference Style | 0 | 12 |
| 150 | Walker Hall 150 | Academic | 0 | 24 |
| 217 | Walker Hall 217 - Maternity Lab | Academic | 0 | 16 |
| 218 | Walker Hall 218 - Simulation Lab | Academic | 0 | 16 |
| 220 | Walker Hall 220- Computer Lab | Academic | 0 | 44 |
| | | Classroom Style | 0 | 44 |
| 222 | Walker Hall 222 - Surgical Lab | Academic | 0 | 20 |

| Room | Room Description | Setup Type | Min Capacity | Max Capacity |
|------|------------------------------------|-----------------|--------------|--------------|
| 238 | Walker Hall 238 | Academic | 0 | 42 |
| | | U-Shape | 0 | 30 |
| | | Standard Set-up | 0 | 42 |
| | | Classroom Style | 0 | 42 |
| 239 | Walker Hall 239 | Academic | 0 | 23 |
| | | U-Shape | 0 | 20 |
| | | Classroom Style | 0 | 23 |
| 241 | Walker Hall 241- Computer Lab | Academic | 0 | 0 |
| 242 | Walker Hall 242- OT Assessment Lab | Academic | 0 | 0 |
| 247 | Walker Hall 247 | Academic | 0 | 38 |
| | | Classroom Style | 0 | 38 |
| 250 | Walker Hall 250- OT Lab | Academic | 0 | 30 |
| 251 | Walker Hall 251 | Academic | 0 | 46 |
| | | U-Shape | 0 | 30 |
| | | Hollow Square | 0 | 40 |
| | | Classroom Style | 0 | 46 |
| 252 | Walker Hall 252- OT Lab | Academic | 0 | 46 |
| | | U-Shape | 0 | 30 |
| | | Hollow Square | 0 | 40 |
| | | Classroom Style | 0 | 46 |
| 255 | Walker Hall 255- OT Exercise Lab | Academic | 0 | 0 |
| 256 | Walker Hall 256 | Academic | 0 | 20 |
| | | Classroom Style | 0 | 20 |
| 315 | Walker Hall 315 | Academic | 0 | 58 |
| | | U-Shape | 0 | 35 |
| | | Hollow Square | 0 | 50 |
| | | Classroom Style | 0 | 58 |
| | | Pods | 0 | 30 |
| 322 | Walker Hall 322 - PT Exercise Lab | Academic | 0 | 26 |
| 324 | Walker Hall 324- PT Lab | Academic | 0 | 0 |
| 325 | Walker Hall 325 | Academic | 0 | 38 |
| | | U-Shape | 0 | 24 |
| | | Hollow Square | 0 | 34 |
| | | Classroom Style | 0 | 38 |
| | | Pods | 0 | 30 |

| Room | Room Description | Setup Type | Min Capacity | Max Capacity |
|--------------|----------------------------------|-------------------|---------------------|---------------------|
| 342 | Walker Hall 342 | Academic | 0 | 16 |
| | | U-Shape | 0 | 12 |
| | | Hollow Square | 0 | 14 |
| | | Classroom Style | 0 | 16 |
| 343 | Walker Hall 343 | Academic | 0 | 20 |
| | | U-Shape | 0 | 16 |
| | | Hollow Square | 0 | 20 |
| | | Classroom Style | 0 | 20 |
| 348 | Walker Hall 348 | Pods | 0 | 16 |
| | | Academic | 0 | 38 |
| | | U-Shape | 0 | 30 |
| | | Hollow Square | 0 | 36 |
| | | Classroom Style | 0 | 38 |
| 351 | Walker Hall 351- PT Lab | Pods | 0 | 30 |
| | | Academic | 0 | 38 |
| 353 | Walker Hall 353- PT Movement Lab | Classroom Style | 0 | 38 |
| | | Academic | 0 | 50 |
| WH 1st Floor | Walker Hall 1st Floor Lobby | Standard Set-up | 0 | 150 |
| | | Reception | 0 | 150 |
| WH 2nd Floor | Walker Hall 2nd Floor Lobby | Standard Set-up | 0 | 150 |
| | | Reception | 0 | 150 |
| WH 3rd Floor | Walker Hall 3rd Floor Lobby | Standard Set-up | 0 | 150 |
| | | Reception | 0 | 150 |